



MedXen

• Quality • Precision • Innovation

TECHNICAL DATA SHEET

TIRZEPATIDE

10 mg

Lyophilized peptide for subcutaneous administration

FOR PROFESSIONAL USE ONLY



GENERAL INFORMATION

Observed presentation: Tirzepatide 10 mg in vial with lyophilized peptide for subcutaneous administration. The package indicates the contents of 1 vial and exclusive use by professionals.



COMPOSITION

Each vial contains 10 mg of tirzepatide in lyophilized form. Reconstitution and diluent must follow exclusively the manufacturer's instructions.



DESCRIPTION

Tirzepatide is a dual agonist of the GIP and GLP-1 receptors. In approved medications, it is used under medical prescription for the treatment of type 2 diabetes and, in certain approved presentations, for weight management in selected patients.



MECHANISM OF ACTION

Improves glucose-dependent insulin secretion, reduces glucagon secretion, delays gastric emptying and promotes a feeling of satiety.



STORAGE

Store according to the manufacturer's instructions. Protect from extreme temperatures and light when appropriate.





MedXen

• Quality • Precision • Innovation

TECHNICAL DATA SHEET

TIRZEPATIDE

60 mg

Lyophilized peptide for
subcutaneous injection

FOR PROFESSIONAL USE ONLY



GENERAL INFORMATION

Observed presentation: Tirzepatide 60 mg in a vial with lyophilized peptide for subcutaneous administration. The package indicates the content of 1 vial and for professional use only.



COMPOSITION

Each vial contains 60 mg of lyophilized tirzepatide. Reconstitution must be performed strictly following the specific instructions of the manufacturer.



DESCRIPTION

Tirzepatide is a dual agonist of the GIP and GLP-1 receptors. In authorized formulations it is used as a prescription medication for the treatment of type 2 diabetes mellitus and, in some approved indications, for weight management.



MECHANISM OF ACTION

It acts by stimulating GIP and GLP-1 receptors, promoting glucose-dependent insulin release, reducing glucagon secretion, delaying gastric emptying, and increasing gastric fullness, thereby enhancing the feeling of satiety.



STORAGE

Store in accordance with the manufacturer's instructions, protected from light and extreme temperatures when applicable.



MedXen

• Quality • Precision • Innovation



GUARANTEED
QUALITY



PRECISION
IN EVERY DOSE



INNOVATION
THAT TRANSFORMS



MedXen

Quality • Precision • Innovation


TECHNICAL DATA SHEET

TIRZEPATIDE

120 mg

Lyophilized peptide for
subcutaneous administration

FOR PROFESSIONAL USE ONLY



GENERAL INFORMATION

Presentation: Tirzepatide 120 mg vial with lyophilized peptide for subcutaneous administration. The package indicates the contents of 1 vial and is for professional use only.



COMPOSITION

Each vial contains 120 mg of lyophilized tirzepatide. Reconstitution and preparation must be performed exclusively according to the manufacturer's instructions.



DESCRIPTION

Tirzepatide is a dual agonist of the GIP and GLP-1 receptors. In authorized formulations, it is used by prescription for the treatment of type 2 diabetes mellitus in specific cases, as determined in approved presentations, for the management of body weight in selected patients.



MECHANISM OF ACTION

Increases glucose-dependent insulin secretion, reduces glucagon release, slows gastric emptying, and promotes a feeling of satiety.



STORAGE

Store according to the manufacturer's recommendations. Keep protected from light and extreme temperatures when applicable.





MedXen

• Quality • Precision • Innovation


TECHNICAL DATA SHEET

TIRZEPATIDE

5 mg

Lyophilized peptide for
subcutaneous administration

FOR PROFESSIONAL USE ONLY



GENERAL INFORMATION

Observed product: Tirzepatide 5 mg in vial presentation with lyophilized peptide for subcutaneous use. The package indicates the contents of 1 vial and professional use.



DESCRIPTION

Tirzepatide is a dual agonist of the GIP and GLP-1 receptors. In approved formulations, it is used under medical prescription for the treatment of type 2 diabetes and, in certain presentations, for weight management.



MECHANISM OF ACTION

Promotes glucose-dependent insulin secretion, reduces glucagon secretion, slows gastric emptying, and increases the sensation of satiety.



WARNINGS

This document is for informational purposes only. The authenticity, sterility, purity, and concentration of the product cannot be verified by an image. Use only under the supervision of a healthcare professional and in accordance with the official information from the manufacturer.



MedXen
• Quality • Precision • Innovation



QUALITY
GUARANTEED



PRECISION
IN EVERY DOSE



INNOVATION
THAT TRANSFORMS